

BOC Limited ABN 95 000 029 729 10 Julius Avenue NORTH RYDE NSW 2113 Tel + 61 131 262 Fax + 61 132 427

Product Name PESTIGAS (BOC LIMITED - AUS)

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name BOC LIMITED (AUSTRALIA)

Address 10 Julius Avenue, North Ryde NSW, 2113, AUSTRALIA

**Telephone** +61 131 262, (02) 8874 4400

**Fax** +61 132 427 (24 hours)

**Emergency** 1800 653 572 (24/7) (Australia only)

Synonyms 080 - MSDS NUMBER, PESTIGAS - P (FORMERLY), PRODUCT CODE: 196.

**Uses** PESTICIDE, SPACE SPRAY.

## 2. HAZARDS IDENTIFICATION

## CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

## Risk And Safety Phrases

Risk and Safety Phrases are standardised phrases allocated to Hazardous Substances. Risk phrases convey a general description of the physicochemical, environmental and health hazards of a substance. Safety phrases provide information on safe storage, handling, disposal, personal protection and first aid.

## RISK PHRASES

R65 Harmful: May cause lung damage if swallowed.

## SAFETY PHRASES

S45 In case of accident or if you feel unwell, contact a doctor or Poisons Information Centre immediately (show the label where possible).

S53 Avoid exposure - obtain special instructions before use.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	Conc.	CAS No.
NAPHTHA, PETROLEUM HEAVY ALKYLATE		10%	64741-65-7
PYRETHRUM		0.4%	8003-34-7
CARBON DIOXIDE	CO2	87.6%	124-38-9
PIPERONYL BUTOXIDE	C19-H30-O5	2%	51-03-6

## 4. FIRST AID MEASURES

**Eye** Treatment for cold burns: Immediately flush with tepid water or with sterile saline solution. Hold eyelids apart and irrigate for 15 minutes. Seek medical attention.

### Inhalation

Remove from area of exposure immediately. If assisting a victim avoid becoming a casualty, wear an Air-line respirator or Self Contained Breathing Apparatus (SCBA). Be aware of possible explosive atmospheres. If victim is not breathing apply artificial respiration and seek urgent medical attention. Give oxygen if available. Keep warm and rested.

### Skin

Cold burns: Remove contaminated clothing and gently flush affected areas with warm water (30 C) for 15 minutes. Apply sterile dressing and treat as for a thermal burn. For large burns, immerse in warm water for 15 minutes. DO NOT apply any form of direct heat. Seek immediate medical attention.

Colour Rating AMBER

Printed by: RMT Page 1 of 6



BOC Limited ABN 95 000 029 729 10 Julius Avenue NORTH RYDE NSW 2113 Tel + 61 131 262 Fax + 61 132 427

Product Name PESTIGAS (BOC LIMITED - AUS)

### 4. FIRST AID MEASURES cont.

Ingestion

Ingestion is considered unlikely. However, if ingestion occurs, drink large volumes of water. Seek medical attention. For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor.

Advice To Doctor Treat for asphyxia and cold burns.

## 5. FIRE FIGHTING MEASURES

Flammability Non flammable.

Fire and Explosion

Non flammable. Temperatures in a fire may cause cylinders to rupture. Call fire brigade. Cool cylinders exposed to fire by applying water from a protected location. Do not approach cylinders suspected of being hot.Remove cool cylinders from the path of the fire. Evacuate the area if unable to keep cylinders cool. Ensure work area is thoroughly

ventilated before re-entry.

**Extinguishing** Non flammable. Use water fog to cool containers from protected area.

Hazchem Code 2TE

## **6. ACCIDENTAL RELEASE MEASURES**

Spillage

GAS CYLINDERS: If the cylinder is leaking, eliminate all potential ignition sources and evacuate area of personnel. Inform manufacturer/supplier of leak. Wear appropriate PPE and carefully move it to a well ventilated remote area, then allow to discharge. Do not attempt to repair leaking valve or cylinder safety devices.

## 7. HANDLING AND STORAGE

Handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

Storage

Do not store near sources of ignition or incompatible materials. Cylinders should be stored below 45 C in a secure area, upright and restrained to prevent cylinders from falling. Cylinders should also be stored in a dry, well ventilated area constructed of non-combustible material with firm level floor (preferably concrete), away from areas of heavy traffic and emergency exits.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation

Use with adequate natural ventilation. Open windows and doors where possible. In poorly ventilated areas, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard. The manufacturer recommends to maximise the effectiveness of this product, it should be applied with artificial and natural ventilation closed. Hand held applications should commence at the furthest point from the exit and continue as the operator moves away from the spray drift towards the exit. Entry should be barred to areas in which fixed nozzle spraying occurs during spraying. Ventilation should be re-opened 2 hours after spraying has ceased.

Colour Rating AMBER

Printed by: RMT Page 2 of 6



**BOC Limited** ABN 95 000 029 729 10 Julius Avenue NORTH RYDE NSW 2113 Tel + 61 131 262 Fax + 61 132 427

#### **PESTIGAS (BOC LIMITED - AUS) Product Name**

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION cont.

Exposure PYRETHRUM (8003-34-7)

**Standards** 

ES-TWA: 5 mg/m3 (Pyrethrum)

ES-STEL: 10 mg/m3 WES-TWA: 5 mg/m3

CARBON DIOXIDE (124-38-9)

ES-TWA: 5000 ppm (ACGIH; NIOSH; NOHSC) ES-STEL: 30000 ppm (ACGIH; NIOSH; NOHSC)

WES-TWA: 5000 ppm (9000 mg/m3)

Wear safety glasses, safety boots and leather or cotton gloves. Where an inhalation risk exists, wear Self Contained Breathing Apparatus (SCBA) or an Air-line respirator.







## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: COLOURLESS GAS (LIQUEFIED UNDER PRESSURE)

Odour: CHRYSANTHEMUM-LIKE ODOUR

pH: NOT AVAILABLE

Vapour Pressure: 6300 kPa @ 25°C (Approximately)

Vapour Density: NOT AVAILABLE Boiling Point: -78°C (Approximately) Melting Point: NOT AVAILABLE **Evaporation Rate: NOT AVAILABLE** 

Solubility (water): 0.759 cm3/cm3 (Carbon dioxide)

Specific Gravity: NOT AVAILABLE % Volatiles: NOT AVAILABLE Flammability: NON FLAMMABLE Flash Point: NOT RELEVANT Upper Explosion Limit: NOT RELEVANT Lower Explosion Limit: NOT RELEVANT Autoignition Temperature: NOT AVAILABLE

Density: 1.53 (Air = 1) (Carbon dioxide)

Critical Temperature: 31°C (Approximately) Critical Pressure: 7380 kPa (Approximately)

## **10. STABILITY AND REACTIVITY**

### Reactivity

Moist carbon dioxide is corrosive, hence acid resistant materials are required (stainless steel). Certain properties of some plastics and rubbers may be affected by gas or liquid, ie. embrittlement, leaching of plasticisers, etc.Dust of aluminium, chrome and manganese ignite and explode when heated in carbon dioxide. Incompatible with acrylaldehyde, aziridine, metal acetylides, sodium peroxide. Corrosive when moist. Avoid wetting surfaces which are plastic or have oil based paints or inks or similar should be avoided.

> Colour Rating **AMBER**



**BOC Limited** ABN 95 000 029 729 10 Julius Avenue NORTH RYDE NSW 2113 Tel + 61 131 262 Fax + 61 132 427

**PESTIGAS (BOC LIMITED - AUS) Product Name** 

10. STABILITY AND REACTIVITY cont.

**Products** 

**Decomposition** May evolve toxic gases if heated to decomposition.

## 11. TOXICOLOGICAL INFORMATION

Summary

Health Hazard Asphyxiant gas. Severe frost-bite burns may result from exposure to cold vapour or liquid. Carbon dioxide concentrations of 3-5 % in air cause increased respiration and headache. Concentrations of 8-15% cause headache, nausea and vomiting which may lead to unconsciousness if not moved to open air and given oxygen. Inhalation of a mixture containing no oxygen may result in unconsciousness from the first breath and death will follow in a few minutes. Adverse health effects to long term exposure to carbon dioxide have not been reported. However in environments such as submarines where exposure to levels of 0.5 - 1.0% may occur, specialist medical opinion should be sought on the effects of long term exposure Escaping liquid from the cylinder can form a dry ice powder like snow and leave a liquid residue.

Non irritating. However, direct contact with evaporating liquid may result in severe cold burns with possible Eve permanent damage. Eye contact with dry ice powder could result in frostbite or cold burns.

Inhalation Non irritant - Asphyxiant. Inhalation of spray mist may result in asthmatic reactions in sensitised individuals.

Skin Non irritating. Contact with evaporating liquid (eg. cold vessels or pipes containing low pressure liquid) may result in frost-bite with severe tissue damage. Skin contact with dry ice powder could result in frostbite or cold burns.

Ingestion Due to product form, ingestion is considered highly unlikely.

**Toxicity Data** PIPERONYL BUTOXIDE (51-03-6)

> LD50 (Skin): 200 mg/kg (rabbit) LD50 (Ingestion): 2600 mg/kg (mouse)

## 12. ECOLOGICAL INFORMATION

**Environment** 

Carbon dioxide is a natural component of the earth's atmosphere (0.027 - 0.035 % v/v). However, increases in the atmospheric carbon dioxide levels have been linked with global warming, and hence emission of carbon dioxide into the atmosphere should be minimised as far as possible.

## 13. DISPOSAL CONSIDERATIONS

Waste **Disposal** 

Cylinders should be returned to the manufacturer or supplier for disposal of contents.

Legislation

Dispose of in accordance with relevant local legislation.

## 14. TRANSPORT INFORMATION

Transport Ensure cylinder is separated from driver and that outlet of relief device is not obstructed.

Colour Rating **AMBER** 

Printed by: RMT



BOC Limited ABN 95 000 029 729 10 Julius Avenue NORTH RYDE NSW 2113 Tel + 61 131 262 Fax + 61 132 427

Product Name PESTIGAS (BOC LIMITED - AUS)

## 14. TRANSPORT INFORMATION cont.

UN Number 1968

Shipping Name INSECTICIDE GAS, N.O.S.

DG Class 2.2

Subsidiary None Allocated

Risk(s)

Packing Group None Allocated

Hazchem Code 2TE

## 15. REGULATORY INFORMATION

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

### 16. OTHER INFORMATION

## Additional Information

This products is used as a space spray for control of cockroach and fleas. The manufacturer reports that this product is registered in Australia as an Agricultural Chemical for use by registered pest controllers. People, pets and domestic animals should be removed from the treatment area and food and water covered during, and for 2 hours after spraying.

APPLICATION METHOD: Cylinder positioned vertically with valve at top. Portable cylinders connected to hand held spray gun or manifolded cylinders connected to fixed pipework distribution system with spray nozzles and controlled release.

COLOUR RATING SYSTEM: Chem Alert reports are assigned a colour rating of Green, Amber or Red for the purpose of providing users with a quick and easy means of determining the hazardous nature of a product. Safe handling recommendations are provided in all Chem Alert reports so as to clearly identify how users can control the hazards and thereby reduce the risk (or likelihood) of adverse effects. As a general guideline a Green colour rating indicates a low hazard, an Amber colour rating indicates a moderate hazard and a Red colour rating indicates a high hazard.

### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

ABBREVIATIONS:

mg/m3 - Milligrams per cubic metre ppm - Parts Per Million

Colour Rating AMBER

Printed by: RMT Page 5 of 6



BOC Limited ABN 95 000 029 729 10 Julius Avenue NORTH RYDE NSW 2113 Tel + 61 131 262 Fax + 61 132 427

## Product Name PESTIGAS (BOC LIMITED - AUS)

## 16. OTHER INFORMATION cont.

TWA/ES - Time Weighted Average or Exposure Standard.

CNS - Central Nervous System NOS - Not Otherwise Specified

pH - relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline.

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

M - moles per litre, a unit of concentration.

IARC - International Agency for Research on Cancer.

Report Reviewed 19th March 2007

Date Printed

19th March 2007

## Report Status

Chem Alert reports are compiled as an independent source of information by RMT's scientific department. The information is based on the latest chemical and toxicological research, and in compliance with relevant standards, guidance notes and legislation (where applicable). The Chem Alert report is not intended as a replacement to the manufacturer's original MSDS that is provided to Chem Alert subscribers for convenience. In many instances, Chem Alert reports are compiled on behalf of manufacturers, in which case they serve as the "Manufacturer's MSDS" and are clearly identified as such on the relevant reports.

## **Prepared By**

Risk Management Technologies 5 Ventnor Avenue, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Web: www.rmt.com.au

> Colour Rating AMBER